

Only with Lite^{DM} - Now with multi-system connectivity

Enhanced software application now allows connection of select non-Horiba instruments

- Receive orders and transmit results to EMR
- Manage patient results with demographics



Connections available include:

HORIBA

- Micros 60
- Micros ES 60
- Pentra C400

Non-HORIBA

- Siemens Clinitek Status®
- Abaxis Piccolo Xpress™
- Tosoh AIA 360®
- Various urine strip readers

Test and Test Panel Customization

- Define multiple panels
- Create qualitative tests
- Enter any off-line test results manually
- Reference ranges for gender and age

Simple Navigation and Reporting

- Simple and intuitive to learn and use
- CLIA compliant patient reports
- Single and cumulative patient reporting
- Quick and easy patient result history view
- Consolidated patient report with all results
- Preliminary reports
- Easy backup and restore

Connect up to 4 instruments

(including Micros 60) with one Lite^{DM}



Micros 60



Pentra C400



*Possible interface connections

RESULT REPORT

HORIBA Medical
9755 Research Drive
Irvine CA 92618

Patient Palmer, Mary

Medical #: M12345

Age 28

DOB 10/12/1990

01/01/1999

Gender F **Child** ☐

DIRECTOR Edward Forrest, M.D.

CLIA 123D45678

Phone 306-987-5695

Fax 306-877-9023

Sample ID 111201


Doctor Patel, John

Verified 08/15/2016 5:15:28 PM


By USER

	Test	Result	Abnormal	Flags	Normals	Units	Notes
Micros 60 Hematology Results	WBC		12.2	H	(3.5 - 10)	10 ³ /mm ³	
	RBC	5.19			(3.8 - 5.8)	10 ⁶ /mm ³	
	HGB	15.3			(11 - 16.5)	g/dl	
	HCT	45.6			(35 - 50)	%	
	MCV	88			(80 - 97)	μm ³	
	MCH	33.2			(26.5 - 33.5)	pg	
	MCHC	33.4			(31.5 - 35)	g/dl	
	RDW	12.4			(10 - 15)	%	
	PLT	281			(150 - 450)	10 ³ /mm ³	
	MPV	9.0			(6.5 - 11)	μm ³	
	LYM%	21.7			(17 - 48)	%	
	LYM#	2.60			(1.2 - 3.2)	10 ³ /mm ³	
	MON%		3.5	L	(4 - 6)	%	
	MON#	0.40			(0.3 - 0.8)	10 ³ /mm ³	
	GRA%	74.8			(43 - 76)	%	
	GRA#		9.10	H	(1.2 - 6.8)	10 ³ /mm ³	
Accustrip Urinalysis Results	LEU		75	*	(-)	Leu/μl	
	NIT		POS	*	(-)	mg/dl	
	PRO		100	*	(-)	mg/dl	
	pH	6, 5			(-)		
	BLO	NEG			(-)	Ery/μl	
	SG	1.015			(-)		
	KET		25	*	(-)	mg/dl	
	BIL		4	*	(-)	mg/dl	
	GLU		50	*	(-)	mg/dl	
	UBG		8	*	(-)	mg/dl	
Manual Entry Test	PREG	NEG			(-)		ww


WBC Histogram



RBC Histogram



PLI Histogram



Flags

WBC Flags

PLT Flags

Notes

L1 M2G1 G3

SCL

Micros 60 Specimen Type : whole blood

Micros 60 Analyzed D/T : 07/27/2008 05:14 PM

Micros 60 Collected D/T : 08/15/2016 05:01 PM

Micros 60 Received D/T : 08/15/2016 05:01 PM

Reviewed By: _____ Date: _____